

APPENDICES

APPENDIX A. HIGH-WATER SHORELINE POSITION CHANGE	A1
APPENDIX B. WAVE TRANSFORMATION NUMERICAL MODELING	B1
B1. Wave Model Theoretical Background.....	B2
B2. Spectra Development.....	B9
B3. Directional and Frequency Verification.....	B10
B4. Wave Transformation Compared with Historical Shoreline Change	B19
B5. Post-Dredging Wave Transformation Results.....	B29
B6. Pre- and Post-Dredging Difference Plots.....	B44
APPENDIX C. SEDIMENT TRANSPORT NUMERICAL MODELING	C1
C1. Initiation of Sediment Motion Under Combined Wave and Current Action.....	C2
C2. Relative Magnitude and Direction of Transport	C7
C3. Longshore Sediment Transport Model Results	C9
APPENDIX D. BIOLOGICAL FIELD SURVEY DATA	D1
D1. Sediment Profiling Camera Data.....	D2
D2. Sample Types, Sample Codes, Coordinates, and Water Depths	D52
D3. Hydrolab Data.....	D62
D4. Sediment Grain Size Data.....	D67
D5. Infaunal Data	D73

LIST OF FIGURES

Figure B1-1.	Coordinate and angle convention used for the wave modeling in the present study.....	B2
Figure B1-2.	Diagram indicating the effects of refraction and diffraction as waves approach the coastline (from Svendsen and Jonsson, 1976).....	B4
Figure B1-3.	Example of subgrid development over a borrow pit feature (Kirby and Özkan, 1994).....	B7
Figure B3-1.	East-northeast (22.5°) spectral verification and utilization at WIS 2067.....	B11
Figure B3-2.	0° spectral verification and utilization at WIS 2067.....	B11
Figure B3-3.	East-southeast (-22.5°) spectral verification and utilization at WIS 2067.....	B12
Figure B3-4.	Southeast (-45°) spectral verification and utilization at WIS 2067.....	B12
Figure B3-5.	South-southeast (-67.5°) spectral verification and utilization at WIS 2067.....	B13
Figure B3-6.	East-northeast (22.5°) spectral verification and utilization at WIS 2069.....	B13
Figure B3-7.	East (0°) spectral verification and utilization at WIS 2069.....	B14
Figure B3-8.	East-southeast (-22.5°) spectral verification and utilization at WIS 2069.....	B14
Figure B3-9.	Southeast (-45°) spectral verification and utilization at WIS 2069.....	B15
Figure B3-10.	South-southeast (-67.5°) spectral verification and utilization at WIS 2069.....	B15
Figure B3-11.	Northeast (45°) spectral verification and utilization at WIS 2070.....	B16
Figure B3-12.	East-northeast (22.5°) spectral verification and utilization at WIS 2070.....	B16
Figure B3-13.	East (0°) spectral verification and utilization at WIS 2070.....	B17
Figure B3-14.	East-southeast (-22.5°) spectral verification and utilization at WIS 2070.....	B17
Figure B3-15.	Southeast (-45°) spectral verification and utilization at WIS 2070.....	B18
Figure B3-16.	South-southeast (-67.5°) spectral verification and utilization at WIS 2070.....	B18
Figure B4-1.	Wave height (green line on plot) taken from nearshore transect (black line on image) for the east-northeast (22.5E) approach simulation at reference Grid A compared with historical shoreline change rates (black line on plot; 1864/68 to 1997).....	B19
Figure B4-2.	Wave height (green line on plot) taken from nearshore transect (black line on image) for the east (0E) approach simulation at reference Grid A compared with historical shoreline change rates (black line on plot; 1864/68 to 1997).....	B20
Figure B4-3.	Wave height (green line on plot) taken from nearshore transect (black line on image) for the east-southeast (-22.5E) approach simulation at reference Grid A compared with historical shoreline change rates (black line on plot; 1864/68 to 1997).....	B20
Figure B4-4.	Wave height (green line on plot) taken from nearshore transect (black line on image) for the southeast (-45E) approach simulation at reference Grid A compared with historical shoreline change rates (black line on plot; 1864/68 to 1997).....	B21
Figure B4-5.	Wave height (green line on plot) taken from nearshore transect (black line on image) for the south-southeast (-67.5E) approach simulation at reference Grid A compared with historical shoreline change rates (black line on plot; 1864/68 to 1997).....	B21
Figure B4-6.	Wave height (green line on plot) taken from nearshore transect (black line on image) for the east-northeast (22.5E) approach simulation at reference Grid B1 compared with historical shoreline change rates (black line on plot; 1864/68 to 1997).....	B22

Figure B4-7. Wave height (green line on plot) taken from nearshore transect (black line on image) for the east (0E) approach simulation at reference Grid B1 compared with historical shoreline change rates (black line on plot; 1864/68 to 1997).....	B22
Figure B4-8. Wave height (green line on plot) taken from nearshore transect (black line on image) for the east-southeast (-22.5E) approach simulation at reference Grid B1 compared with historical shoreline change rates (black line on plot; 1864/68 to 1997).....	B23
Figure B4-9. Wave height (green line on plot) taken from nearshore transect (black line on image) for the southeast (-45E) approach simulation at reference Grid B1 compared with historical shoreline change rates (black line on plot; 1864/68 to 1997).....	B23
Figure B4-10. Wave height (green line on plot) taken from nearshore transect (black line on image) for the south-southeast (-67.5E) approach simulation at reference Grid B1 compared with historical shoreline change rates (black line on plot; 1864/68 to 1997).....	B24
Figure B4-11. Wave height (green line on plot) taken from nearshore transect (black line on image) for the east-northeast (22.5E) approach simulation at reference Grid B2 compared with historical shoreline change rates (black line on plot; 1864/68 to 1997).....	B24
Figure B4-12. Wave height (green line on plot) taken from nearshore transect (black line on image) for the east (0E) approach simulation at reference Grid B2 compared with historical shoreline change rates (black line on plot; 1864/68 to 1997).....	B25
Figure B4-13. Wave height (green line on plot) taken from nearshore transect (black line on image) for the east-southeast (-22.5E) approach simulation at reference Grid B2 compared with historical shoreline change rates (black line on plot; 1864/68 to 1997).....	B25
Figure B4-14. Wave height (green line on plot) taken from nearshore transect (black line on image) for the southeast (-45E) approach simulation at reference Grid B2 compared with historical shoreline change rates (black line on plot; 1864/68 to 1997).....	B26
Figure B4-15. Wave height (green line on plot) taken from nearshore transect (black line on image) for the south-southeast (-67.5E) approach simulation at reference Grid B2 compared with historical shoreline change rates (black line on plot; 1864/68 to 1997).....	B26
Figure B4-16. Wave height (green line on plots) taken from approximate breaker line (black line on images) for the east-northeast (22.5 degree) and northeast (45 degree) approach simulations, respectively, compared with historical shoreline change rates (black line on plots; 1864/68 to 1977) for Grid C.	B27
Figure B4-17. Wave height (green line on plots) taken from approximate breaker line (black line on images) for the east (0 degree) and east-southeast (-22.5 degree) approach simulations, respectively, compared with historical shoreline change rates (black line on plots; 1864/68 to 1977) for Grid C.	B27
Figure B4-18. Wave height (green line on plots) taken from approximate breaker line (black line on images) for the southeast (-45 degree) and south-southeast (-67.5 degree) approach simulations, respectively, compared with historical shoreline change rates (black line on plots; 1864/68 to 1977) for Grid C.....	B28

Figure B5-1.	Spectral wave modeling results for post-dredging conditions using an east-northeast (22.5E) approach direction for reference Grid A.	B29
Figure B5-2.	Spectral wave modeling results for post-dredging conditions using an east (0E) approach direction for reference Grid A.....	B30
Figure B5-3.	Spectral wave modeling results for post-dredging conditions using an east-southeast (-22.5E) approach direction for reference Grid A.....	B30
Figure B5-4.	Spectral wave modeling results for post-dredging conditions using a southeast (-45E) approach direction for reference Grid A.	B31
Figure B5-5.	Spectral wave modeling results for post-dredging conditions using a south-southeast (-67.5E) approach direction for reference Grid A.....	B31
Figure B5-6.	Spectral wave modeling results for post-dredging conditions using a 50-yr northeast storm at reference Grid A.....	B32
Figure B5-7.	Spectral wave modeling results for post-dredging conditions using a 50-yr hurricane at reference Grid A.....	B32
Figure B5-8.	Spectral wave modeling results for post-dredging conditions using an east-northeast (22.5E) approach direction for reference Grid B1.	B33
Figure B5-9.	Spectral wave modeling results for post-dredging conditions using an east (0E) approach direction for reference Grid B1.....	B33
Figure B5-10.	Spectral wave modeling results for post-dredging conditions using an east-southeast (-22.5E) approach direction for reference Grid B1.....	B34
Figure B5-11.	Spectral wave modeling results for post-dredging conditions using an southeast (-45E) approach direction for reference Grid B1.	B34
Figure B5-12.	Spectral wave modeling results for post-dredging conditions using a south-southeast (-67.5E) approach direction for reference Grid B1.....	B35
Figure B5-13.	Spectral wave modeling results for post-dredging conditions using a 50-yr northeast storm at reference Grid B1.....	B35
Figure B5-14.	Spectral wave modeling results for post-dredging conditions using a 50-yr hurricane at reference Grid B1.....	B36
Figure B5-15.	Spectral wave modeling results for post-dredging conditions using an east-northeast (22.5E) approach direction for reference Grid B2.	B36
Figure B5-16.	Spectral wave modeling results for post-dredging conditions using an east (0E) approach direction for reference Grid B2.....	B37
Figure B5-17.	Spectral wave modeling results for post-dredging conditions using an east-southeast (-22.5E) approach direction for reference Grid B2.....	B37
Figure B5-18.	Spectral wave modeling results for post-dredging conditions using a southeast (-45E) approach direction for reference Grid B2.	B38
Figure B5-19.	Spectral wave modeling results for post-dredging conditions using a south-southeast (-67.5E) approach direction for reference Grid B2.....	B38
Figure B5-20.	Spectral wave modeling results for post-dredging conditions using a 50-yr northeast storm at reference Grid B2.....	B39
Figure B5-21.	Spectral wave modeling results for post-dredging conditions using a 50-yr hurricane at reference Grid B2.....	B39
Figure B5-22.	Spectral wave modeling results for post-dredging conditions using a northeast (45 degree) approach direction for reference Grid C.	B40
Figure B5-23.	Spectral wave modeling results for post-dredging conditions using an east-northeast (22.5E) approach direction for reference Grid C.	B40
Figure B5-24.	Spectral wave modeling results for post-dredging conditions using an east (0E) approach direction for reference Grid C.....	B41
Figure B5-25.	Spectral wave modeling results for post-dredging conditions using an east-southeast (-22.5E) approach direction for reference Grid C.	B41

Figure B5-26. Spectral wave modeling results for post-dredging conditions using a southeast (-45E) approach direction for reference Grid C.	B42
Figure B5-27. Spectral wave modeling results for post-dredging conditions using a south-southeast (-67.5E) approach direction for reference Grid C.	B42
Figure B5-28. Spectral wave modeling results for post-dredging conditions using a 50-yr northeast storm at reference Grid C.	B43
Figure B5-29. Spectral wave modeling results for post-dredging conditions using a 50-yr hurricane at reference Grid C.	B43
Figure B6-1. Wave height modifications caused by potential offshore mining at Resource Areas A1 and A2 for an east-northeast (22.5E) approach direction for reference Grid A.	B44
Figure B6-2. Wave height modifications caused by potential offshore mining at Resource Areas A1 and A2 for an east (0E) approach direction for reference Grid A.	B45
Figure B6-3. Wave height modifications caused by potential offshore mining at Resource Areas A1 and A2 for an east-southeast (-22.5E) approach direction for reference Grid A.	B45
Figure B6-4. Wave height modifications caused by potential offshore mining at Resource Areas A1 and A2 for a southeast (-45E) approach direction for reference Grid A.	B46
Figure B6-5. Wave height modifications caused by potential offshore mining at Resource Areas A1 and A2 for a south southeast (-67.5E) approach direction for reference Grid A.	B46
Figure B6-6. Wave height modifications caused by potential offshore mining at Resource Areas A1 and A2 for a 50-yr northeast storm at reference Grid A.	B47
Figure B6-7. Wave height modifications caused by potential offshore mining at Resource Areas A1 and A2 for a 50-yr hurricane at reference Grid A.	B47
Figure B6-8. Wave height modifications caused by potential offshore mining at Resource Area C1 for an east-northeast (22.5E) approach direction for reference Grid B1.	B48
Figure B6-9. Wave height modifications caused by potential offshore mining at Resource Area C1 for an east (0E) approach direction for reference Grid B1.	B48
Figure B6-10. Wave height modifications caused by potential offshore mining at Resource Area C1 for an east-southeast (-22.5E) approach direction for reference Grid B1.	B49
Figure B6-11. Wave height modifications caused by potential offshore mining at Resource Area C1 for a southeast (-45E) approach direction for reference Grid B1.	B49
Figure B6-12. Wave height modifications caused by potential offshore mining at Resource Area C1 for a south-southeast (-67.5E) approach direction for reference Grid B1.	B50
Figure B6-13. Wave height modifications caused by potential offshore mining at Resource Area C1 for a 50-yr northeast storm at reference Grid B1.	B50
Figure B6-14. Wave height modifications caused by potential offshore mining at Resource Area C1 for a 50-yr hurricane at reference Grid B1.	B51
Figure B6-15. Wave height modifications caused by potential offshore mining at Resource Areas G2 (top and bottom) and G3 for an east-northeast (22.5E) approach direction for reference Grid B2.	B51

Figure B6-16. Wave height modifications caused by potential offshore mining at Resource Areas G2 (top and bottom) and G3 for an east (0E) approach direction for reference Grid B2.....	B52
Figure B6-17. Wave height modifications caused by potential offshore mining at Resource Areas G2 (top and bottom) and G3 for an east-southeast (-22.5E) approach direction for reference Grid B2.....	B52
Figure B6-18. Wave height modifications caused by potential offshore mining at Resource Areas G2 (top and bottom) and G3 for a southeast (-45E) approach direction for reference Grid B2.	B53
Figure B6-19. Wave height modifications caused by potential offshore mining at Resource Areas G2 (top and bottom) and G3 for a southeast (-45E) approach direction for reference Grid B2.	B53
Figure B6-20. Wave height modifications caused by potential offshore mining at Resource Areas G2 (top and bottom) and G3 for a 50-yr northeast storm at reference Grid B2.	B54
Figure B6-21. Wave height modifications caused by potential offshore mining at Resource Areas G2 (top and bottom) and G3 for a 50-yr hurricane at reference Grid B2.	B54
Figure B6-22. Wave height modifications caused by potential offshore mining at Resource Area F2 for a northeast (45°) approach direction for reference Grid C.....	B55
Figure B6-23. Wave height modifications caused by potential offshore mining at Resource Area F2 for an east-northeast (22.5E) approach direction for reference Grid C.	B55
Figure B6-24. Wave height modifications caused by potential offshore mining at Resource Area F2 for an east (0E) approach direction for reference Grid C.....	B56
Figure B6-25. Wave height modifications caused by potential offshore mining at Resource Area F2 for an east-southeast (-22.5E) approach direction for reference Grid C.	B56
Figure B6-26. Wave height modifications caused by potential offshore mining at Resource Area F2 for a southeast (-45E) approach direction for reference Grid C.....	B57
Figure B6-27. Wave height modifications caused by potential offshore mining at Resource Area F2 for a south southeast (-67.5E) approach direction for reference Grid C.	B57
Figure B6-28. Wave height modifications caused by potential offshore mining at Resource Area F2 for a 50-yr northeast storm at reference Grid C.	B58
Figure B6-29. Wave height modifications caused by potential offshore mining at Resource Area F2 for a 50-yr hurricane at reference Grid C.....	B58
Figure C1-1. Forces acting on grains resting on the seabed (Fredsoe and Deigaard, 1992). F_L = lifting force, F_D = drag force, and W = grain weight.....	C2
Figure C1-2. Illustration indicating the angle between the apparent bottom current and wave-induced bottom current (Grant and Madsen, 1979).	C3
Figure C1-3. Illustration of a particle on a (a) transverse slope, and on a (b) longitudinal slope.....	C6
Figure C3-1. S_{xy} radiation stress and annual sediment transport potential for existing conditions at Grid A, 22.5° case.....	C10
Figure C3-2. S_{xy} radiation stress and annual sediment transport potential for post-dredging conditions at Grid A, 22.5° case.	C11

Figure C3-3. Existing versus post-dredging annual sediment transport potential at Grid A for the 22.5° case.....	C12
Figure C3-4. S_{xy} radiation stress and annual sediment transport potential for existing conditions at Grid A, 0° case.....	C13
Figure C3-5. S_{xy} radiation stress and annual sediment transport potential for post-dredging conditions at Grid A, 0° case.....	C14
Figure C3-6. Existing versus post-dredging annual sediment transport potential at Grid A for the 0° case.....	C15
Figure C3-7. S_{xy} radiation stress and annual sediment transport potential for existing conditions at Grid A, -22.5° case.....	C16
Figure C3-8. S_{xy} radiation stress and annual sediment transport potential for post-dredging conditions at Grid A, -22.5° case.....	C17
Figure C3-9. Existing versus post-dredging annual sediment transport potential at Grid A for the -22.5° case.....	C18
Figure C3-10. S_{xy} radiation stress and annual sediment transport potential for existing conditions at Grid A, -45° case.....	C19
Figure C3-11. S_{xy} radiation stress and annual sediment transport potential for post-dredging conditions at Grid A, -45° case.....	C20
Figure C3-12. Existing versus post-dredging annual sediment transport potential at Grid A for the -45° case.....	C21
Figure C3-13. S_{xy} radiation stress and annual sediment transport potential for existing conditions at Grid A, -67.5° case.....	C22
Figure C3-14. S_{xy} radiation stress and annual sediment transport potential for post-dredging conditions at Grid A, -67.5° case.....	C23
Figure C3-15. Existing versus post-dredging annual sediment transport potential at Grid A for the -67.5° case.....	C24
Figure C3-16. S_{xy} radiation stress and annual sediment transport potential for existing conditions at Grid A, northeast storm case.....	C25
Figure C3-17. S_{xy} radiation stress and annual sediment transport potential for post-dredging conditions at Grid A, northeast storm case.....	C26
Figure C3-18. Existing versus post-dredging annual sediment transport potential at Grid A for the northeast storm case.....	C27
Figure C3-19. S_{xy} radiation stress and annual sediment transport potential for existing conditions at Grid A, hurricane case.....	C28
Figure C3-20. S_{xy} radiation stress and annual sediment transport potential for post-dredging conditions at Grid A, hurricane case.....	C29
Figure C3-21. Existing versus post-dredging annual sediment transport potential at Grid A for the hurricane case.....	C30
Figure C3-22. S_{xy} radiation stress and annual sediment transport potential for existing conditions at Grid B2, 22.5° case.....	C31
Figure C3-23. S_{xy} radiation stress and annual sediment transport potential for post-dredging conditions at Grid B2, 22.5° case.....	C32
Figure C3-24. Existing versus post-dredging annual sediment transport potential at Grid B2 for the 22.5° case.....	C33
Figure C3-25. S_{xy} radiation stress and annual sediment transport potential for existing conditions at Grid B2, 0° case.....	C34
Figure C3-26. S_{xy} radiation stress and annual sediment transport potential for post-dredging conditions at Grid B2, 0° case.....	C35
Figure C3-27. Existing versus post-dredging annual sediment transport potential at Grid B2 for the 0° case.....	C36

Figure C3-28. S_{xy} radiation stress and annual sediment transport potential for existing conditions at Grid B2, -22.5° case.....	C37
Figure C3-29. S_{xy} radiation stress and annual sediment transport potential for post-dredging conditions at Grid B2, -22.5° case.....	C38
Figure C3-30. Existing versus post-dredging annual sediment transport potential at Grid B2 for the -22.5° case.	C39
Figure C3-31. S_{xy} radiation stress and annual sediment transport potential for existing conditions at Grid B2, -45° case.....	C40
Figure C3-32. S_{xy} radiation stress and annual sediment transport potential for post-dredging conditions at Grid B2, -45° case.....	C41
Figure C3-33. Existing versus post-dredging annual sediment transport potential at Grid B2 for the -45° case.	C42
Figure C3-34. S_{xy} radiation stress and annual sediment transport potential for existing conditions at Grid B2, -67.5° case.....	C43
Figure C3-35. S_{xy} radiation stress and annual sediment transport potential for post-dredging conditions at Grid B2, -67.5° case.....	C44
Figure C3-36. Existing versus post-dredging annual sediment transport potential at Grid B2 for the -67.5° case.	C45
Figure C3-37. S_{xy} radiation stress and annual sediment transport potential for existing conditions at Grid B2, northeast storm case.....	C46
Figure C3-38. S_{xy} radiation stress and annual sediment transport potential for post-dredging conditions at Grid B2, northeast storm case.....	C47
Figure C3-39. Existing versus post-dredging annual sediment transport potential at Grid B2 for the northeast storm case.	C48
Figure C3-40. S_{xy} radiation stress and annual sediment transport potential for existing conditions at Grid B2, hurricane case.	C49
Figure C3-41. S_{xy} radiation stress and annual sediment transport potential for post-dredging conditions at Grid B2, hurricane case.....	C50
Figure C3-42. Existing versus post-dredging annual sediment transport potential at Grid B2 for the hurricane case.....	C51
Figure C3-43. S_{xy} radiation stress and annual sediment transport potential for existing conditions at Grid B1, 22.5° case.....	C52
Figure C3-44. S_{xy} radiation stress and annual sediment transport potential for post-dredging conditions at Grid B1, 22.5° case.....	C53
Figure C3-45. Existing versus post-dredging annual sediment transport potential at Grid B1 for the 22.5° case.	C54
Figure C3-46. S_{xy} radiation stress and annual sediment transport potential for existing conditions at Grid B1, 0° case.....	C55
Figure C3-47. S_{xy} radiation stress and annual sediment transport potential for post-dredging conditions at Grid B1, 0° case.....	C56
Figure C3-48. Existing versus post-dredging annual sediment transport potential at Grid B1 for the 0° case.	C57
Figure C3-49. S_{xy} radiation stress and annual sediment transport potential for existing conditions at Grid B1, -22.5° case.....	C58
Figure C3-50. S_{xy} radiation stress and annual sediment transport potential for post-dredging conditions at Grid B1, -22.5° case.....	C59
Figure C3-51. Existing versus post-dredging annual sediment transport potential at Grid B1 for the -22.5° case.	C60
Figure C3-52. S_{xy} radiation stress and annual sediment transport potential for existing conditions at Grid B1, -45° case.....	C61

Figure C3-53. S_{xy} radiation stress and annual sediment transport potential for post-dredging conditions at Grid B1, -45° case.....	C62
Figure C3-54. Existing versus post-dredging annual sediment transport potential at Grid B1 for the -45° case.....	C63
Figure C3-55. S_{xy} radiation stress and annual sediment transport potential for existing conditions at Grid B1, -67.5° case.....	C64
Figure C3-56. S_{xy} radiation stress and annual sediment transport potential for post-dredging conditions at Grid B1, -67.5° case.....	C65
Figure C3-57. Existing versus post-dredging annual sediment transport potential at Grid B1 for the -67.5° case.....	C66
Figure C3-58. S_{xy} radiation stress and annual sediment transport potential for existing conditions at Grid B1, northeast storm case.....	C67
Figure C3-59. S_{xy} radiation stress and annual sediment transport potential for post-dredging conditions at Grid B1, northeast storm case.....	C68
Figure C3-60. Existing versus post-dredging annual sediment transport potential at Grid B1 for the northeast storm case.....	C69
Figure C3-61. S_{xy} radiation stress and annual sediment transport potential for existing conditions at Grid B1, hurricane case.....	C70
Figure C3-62. S_{xy} radiation stress and annual sediment transport potential for post-dredging conditions at Grid B1, hurricane case.....	C71
Figure C3-63. Existing versus post-dredging annual sediment transport potential at Grid B1 for the hurricane case.....	C72
Figure C3-64. S_{xy} radiation stress and annual sediment transport potential for existing conditions at Grid C ₂₂ , 45° case.....	C73
Figure C3-65. S_{xy} radiation stress and annual sediment transport potential for post-dredging conditions at Grid C ₂₂ , 45° case.....	C74
Figure C3-66. Existing versus post-dredging annual sediment transport potential at Grid C ₂₂ for the 45° case.....	C75
Figure C3-67. S_{xy} radiation stress and annual sediment transport potential for existing conditions at Grid C ₀ , 22.5° case.....	C76
Figure C3-68. S_{xy} radiation stress and annual sediment transport potential for post-dredging conditions at Grid C ₀ , 22.5° case.....	C77
Figure C3-69. Existing versus post-dredging annual sediment transport potential at Grid C ₀ for the 22.5° case.....	C78
Figure C3-70. S_{xy} radiation stress and annual sediment transport potential for existing conditions at Grid C ₀ , 0° case.....	C79
Figure C3-71. S_{xy} radiation stress and annual sediment transport potential for post-dredging conditions at Grid C ₀ , 0° case.....	C80
Figure C3-72. Existing versus post-dredging annual sediment transport potential at Grid C ₀ for the 0° case.....	C81
Figure C3-73. S_{xy} radiation stress and annual sediment transport potential for existing conditions at Grid C ₀ , -22.5° case.....	C82
Figure C3-74. S_{xy} radiation stress and annual sediment transport potential for post-dredging conditions at Grid C ₀ , -22.5° case.....	C83
Figure C3-75. Existing versus post-dredging annual sediment transport potential at Grid C ₀ for the -22.5° case.....	C84
Figure C3-76. S_{xy} radiation stress and annual sediment transport potential for existing conditions at Grid C ₄₅ , -45° case.....	C85
Figure C3-77. S_{xy} radiation stress and annual sediment transport potential for post-dredging conditions at Grid C ₄₅ , -45° case.....	C86

Figure C3-78. Existing versus post-dredging annual sediment transport potential at Grid C ₄₅ for the -45° case.	C87
Figure C3-79. S _{xy} radiation stress and annual sediment transport potential for existing conditions at Grid C ₄₅ , -67.5° case.	C88
Figure C3-80. S _{xy} radiation stress and annual sediment transport potential for post-dredging conditions at Grid C ₄₅ , -67.5° case.	C89
Figure C3-81. Existing versus post-dredging annual sediment transport potential at Grid C ₄₅ for the -67.5° case.	C90
Figure C3-82. S _{xy} radiation stress and annual sediment transport potential for existing conditions at Grid C ₀ , northeast storm case.	C91
Figure C3-83. S _{xy} radiation stress and annual sediment transport potential for post-dredging conditions at Grid C ₀ , northeast storm case.	C92
Figure C3-84. Existing versus post-dredging annual sediment transport potential at Grid C ₀ for the northeast storm case.	C93
Figure C3-85. S _{xy} radiation stress and annual sediment transport potential for existing conditions at Grid C ₄₅ , hurricane case.	C94
Figure C3-86. S _{xy} radiation stress and annual sediment transport potential for post-dredging conditions at Grid C ₄₅ , hurricane case.	C95
Figure C3-87. Existing versus post-dredging annual sediment transport potential at Grid C ₄₅ for the hurricane case.	C96
Figure C3-88. Difference between existing and post-dredging annual sediment transport potential at Grid A for the northeast storm case.	C97
Figure C3-89. Difference between existing and post-dredging annual sediment transport potential at Grid A for the hurricane case.	C98
Figure C3-90. Difference between existing and post-dredging annual sediment transport potential at Grid B2 for the northeast storm case.	C99
Figure C3-91. Difference between existing and post-dredging annual sediment transport potential at Grid B2 for the hurricane case.	C100
Figure C3-92. Difference between existing and post-dredging annual sediment transport potential at Grid B1 for the northeast storm case.	C101
Figure C3-93. Difference between existing and post-dredging annual sediment transport potential at Grid B1 for the hurricane case.	C102
Figure C3-94. Difference between existing and post-dredging annual sediment transport potential at Grid C ₀ for the northeast storm case.	C103
Figure C3-95. Difference between existing and post-dredging annual sediment transport potential at Grid C ₄₅ for the hurricane case.	C104
Figure D1-1. Hulcher Sediment Profile Camera and standard surface camera. Prism face plate is 15-cm wide.	D3
Figure D1-2. Hulcher sediment profile camera diagram.	D4
Figure D1-3. Habitat classes from Sand Resource Areas A1 and A2, Spring 1998.	D29
Figure D1-4. Habitat classes from Sand Resource Areas G1, G2, and G3, Spring 1998.	D30
Figure D1-5. Habitat classes from Sand Resource Area C1, Spring 1998.	D31
Figure D1-6. Habitat classes from Sand Resource Areas F1 and F2, Spring 1998.	D32
Figure D1-7. Habitat class from Adjacent Station 1, Spring 1998.	D33
Figure D1-8. Habitat class from Adjacent Station 2, Spring 1998.	D34
Figure D1-9. Habitat classes from Sand Resource Areas A1 and A2, Fall 1998.	D35
Figure D1-10. Habitat classes from Sand Resource Areas G1, G2, and G3, Fall 1998.	D36
Figure D1-11. Habitat classes from Sand Resource Area C1, Fall 1998.	D37
Figure D1-12. Habitat classes from Sand Resource Areas F1 and F2, Fall 1998.	D38
Figure D1-13. Habitat class from Adjacent Station 1, Fall 1998.	D39
Figure D1-14. Habitat class from Adjacent Station 2, Fall 1998.	D40

Figure D1-15. Area A1, Image A1-13-2b, May 1998. Anemone dragged down into the sediments by the camera prism; its tube is visible at the sediment-water interface.....	D41
Figure D1-16. Area A1, Image A1-01-1b, May 1998. Infaunal polychaete with visible segmentation (enhanced by unsharp mask filtering).	D42
Figure D1-17. Area C1, Image C1-04-1b, September 1998. Live mussels in sandy gravel with signs of decomposing buried organic material, and a crab on the surface.....	D43
Figure D1-18. Area C1, Image C1-04-2b, September 1998. Mussel shells in sandy gravel with an organic surface layer. Tick marks are spaced at 1cm.....	D44
Figure D1-19. Area F1, Image F1-03-3b, September 1998. Large <i>Diopatra</i> tube and organic surface layer. Tick marks are spaced at 1 cm.	D45
Figure D1-20. Area F2, Image F2-06-1b, May 1998. Large clam (probably <i>Spisula</i> ; parts of the shell and body are visible) crushed by the camera prism in gravelly coarse sand. Tick marks (upper left) are spaced at 1 cm.	D46
Figure D1-21. (a) Area G1, Image G1-03-1a, May 1998 above, and (b) Area G2, Image G2-04-2b below. Small tubes of the polychaete <i>Diopatra cuprea</i> . Tick marks are spaced at 1 cm.....	D47
Figure D1-22. Area G1, Image G1-02-2b, September 1998. Tubes of the polychaete <i>Asabellides oculata</i> in sandy-gravelly silt. Tick marks are spaced at 1 cm.	D48
Figure D1-23. Area G2, Image G2-08-2b, September 1998. Sand clasts on the sediment surface. Tick marks are spaced at 1 cm.....	D49
Figure D1-24. Area G3, Image G3-02-1b, May 1998. Black sediment grains, approximately 0.25 to 0.5 mm diameter.	D50
Figure D1-25. Adjacent Station 1, Image R1-01-1b, September 1998. Small sand dollars partially buried.....	D51

LIST OF TABLES

Table A1-1.	High-Water Shoreline Position Change.....	A2
Table D1-1.	Explanations for key terms used in Tables D1-2 and D1-3.....	D12
Table D1-2.	Sediment profile image analysis data for the May 1998 Survey 1 and September 1998 Survey 2 offshore New Jersey.....	D15
Table D1-3.	Sediment surface image analysis data for the May 1998 Survey 1 and September 1998 Survey 2 offshore New Jersey.....	D24
Table D1-4.	Figure Key: Habitat classifications as predicted from discriminant analysis of sediment profile image data from May and September, 1998; New Jersey Sand Resource Areas.	D28
Table D2-1.	Sample types, sample codes, coordinates, and water depths for the May 1998 Survey 1.	D52
Table D2-2.	Sample types, sample codes, coordinates, and water depths for the September 1998 Survey 2.	D58
Table D3-1.	Temperature, salinity, dissolved oxygen (DO), and depth data recorded during the May 1998 Survey (S1) at Sand Resource Areas A1, A2, C1, F2, G2, and G3 offshore New Jersey.....	D62
Table D3-2.	Temperature, salinity, dissolved oxygen (DO), and depth data recorded during the September 1998 Survey 2 (S2) at Sand Resource Areas A1, A2, C1, F2, G1, G2, and G3 offshore New Jersey.	D64
Table D4-1.	Sediment grain size data for samples collected during the May 1998 Survey 1 in the eight sand resource areas (Areas A1, A2, C1, F1, F2, G1, G2, and G3) and three adjacent stations (R1, R2, and R3) offshore New Jersey.....	D67
Table D4-2.	Sediment grain size data for samples collected during the September 1998 Survey 2 in the eight sand resource areas (Areas A1, A2, C1, F1, F2, G1, G2, and G3) and three adjacent stations (R1, R2, and R3) offshore New Jersey.	D71
Table D5-1.	Phylogenetic list of infauna collected during May 1998 Survey 1 and September 1998 Survey 2 in the eight sand resource areas offshore New Jersey.....	D73
Table D5-2.	Infaunal assemblage summary parameters for the May 1998 Survey 1 in the eight sand resource areas (Areas A1, A2, C1, F1, F2, G1, G2, and G3) and three adjacent stations (R1, R2, and R3) offshore New Jersey.	D79
Table D5-3.	Infaunal assemblage summary parameters for the September 1998 Survey 2 in the eight sand resource areas (Areas A1, A2, C1, F1, F2, G1, G2, and G3) and three adjacent stations (R1, R2, and R3) offshore New Jersey.....	D80
Table D5-4.	Numbers of taxa occurring in infaunal samples collected during the May 1998 Survey 1 in the eight sand resource areas (Areas A1, A2, C1, F1, F2, G1, G2, and G3) and three adjacent stations (R1, R2, and R3) offshore New Jersey.	D82
Table D5-5.	Numbers of taxa occurring in infaunal samples collected during the September 1998 Survey 2 in the eight sand resource areas (A1, A2, C1, F1, F2, G1, G2, and G3) and three adjacent stations (R1, R2, and R3) offshore New Jersey.	D83

Table D5-6.	Numbers of individuals occurring in infaunal samples collected during the May 1998 Survey 1 in the eight sand resource areas (Areas A1, A2, C1, F1, F2, G1, G2, and G3) and three adjacent stations (R1, R2, and R3) offshore New Jersey.	D85
Table D5-7.	Numbers of individuals occurring in infaunal samples collected during the September 1998 Survey 2 in the eight sand resource areas (Areas A1, A2, C1, F1, F2, G1, G2, and G3) and three adjacent stations (R1, R2, and R3) offshore New Jersey.	D86